



Material Safety Data Sheet
Aluminum AA standard, 1ml = 1mg Al

Section 1 - Chemical Product and Company Identification

MSDS Name:

Aluminum AA standard, 1ml = 1mg Al

Catalog Numbers:

LC10750

Synonyms:

Company Identification:

LabChem, Inc.
 200 William Pitt Way
 Pittsburgh, PA 15238

Company Phone Number:

(412) 826-5230

Emergency Phone Number:

(800) 424-9300

CHEMTREC Phone Number:

(800) 424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name:	Percent
7732-18-5	Water	balance
7429-90-5	Aluminum	<1
7647-01-0	Hydrogen chloride	4

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: Colorless

Danger! Corrosive. Causes severe eye and skin burns. Causes severe digestive and respiratory tract burns.

Target Organs: None.

Potential Health Effects

Eye:

Vapors are irritating to the eye, liquid contact may result in clouding of the cornea, erosion, up to total corneal opacification and loss of the eye.

Skin:

May cause severe burns and ulceration. Skin may turn brown-yellow. Deep burns are slow to heal and scarring may occur.



Material Safety Data Sheet

Aluminum AA standard, 1ml = 1mg Al

Ingestion:

Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract.

Inhalation:

May cause irritation of the respiratory tract with burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema. May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath and delayed lung edema. Palpitation, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema may result from inhalation exposure.

Chronic:

Chronic exposure may result in dental erosion, jaw necrosis, respiratory disease, dermatitis, conjunctivitis, corneal scarring and fever.

Section 4 - First Aid Measures

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids until chemical is gone. Get medical aid at once. **SPEEDY ACTION IS CRITICAL!**

Skin:

Get medical aid at once. Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. **SPEEDY ACTION IS CRITICAL!**

Ingestion:

Do NOT induce vomiting. Give conscious victim 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid at once.

Inhalation:

Get medical aid at once. Move victim to fresh air immediately. Give artificial respiration if necessary. If breathing is difficult, give oxygen.

Notes to Physician:

Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Reacts with most metals to form highly flammable hydrogen gas which can form explosive mixtures with air. Avoid breathing corrosive vapors.

Extinguishing Media:

For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam.

Autoignition Temperature:

Not applicable.

Flash Point:

Not applicable.

NFPA Rating:

CAS# 7732-18-5: Not published.
CAS# 7429-90-5: Not published.
CAS# 7647-01-0: Not published.



Material Safety Data Sheet

Aluminum AA standard, 1ml = 1mg Al

Explosion Limits:

Lower: No information Upper: No information

Section 6 - Accidental Release Measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb spills with absorbent (vermiculite, sand, fuller's earth) and place in plastic bags for later disposal. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Clean up spills immediately, observing precautions in the Protective Equipment section.

Section 7 - Handling and Storage

Handling:

Wash thoroughly after handling. Wash hands before eating. Use only in a well ventilated area. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Do not allow contact with water. Use caution when opening.

Storage:

Store in a cool, dry area. Store in a tightly closed container.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Chemical Name:	ACGIH	NIOSH	OSHA
Water	None of the components are on this list.	None of the components are on this list.	None of the components are on this list.
Aluminum	10 mg/m ³ TWA (metal dust)	total: 10 mg/m ³ TWA; respirable dust: 5 mg/m ³ TWA; pyro powders and welding fume	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction);
Hydrogen chloride	None of the components are on this list.	None of the components are on this list.	C 5 ppm; C 7 mg/m ³ ;

OSHA Vacated PELs

Aluminum: total dust, as Al: 15 mg/m³ TWA; respirable fraction, as Al: 5 mg/m³ TWA
Aluminum: total dust, as Al: 15 mg/m³ TWA; respirable fraction, as Al: 5 mg/m³ TWA

Personal Protective Equipment

Eyes:

Wear appropriate protective eye glasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

Skin:

Wear appropriate protective gloves to prevent skin exposure.



Material Safety Data Sheet

Aluminum AA standard, 1ml = 1mg Al

Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Respirators:

Follow the OSHA respirator regulations found in 29 CFR 1910.134. Always use a NIOSH-approved respirator when necessary.

Section 9 - Physical and Chemical Properties

Physical State: Clear liquid

Color: Colorless

Odor: Odorless

pH: Acidic

Vapor Pressure: 14 mm Hg @ 20°C

Vapor Density: 0.7 (Air=1)

Evaporation Rate: >1 (ether=1)

Viscosity: No information found.

Boiling Point: 212°F (100.00°C)

Freezing/Melting Point: 32°F (0.00°C)

Decomposition Temperature: No information found.

Solubility in water: No information found.

Specific Gravity/Density: 1.0-1.2 (Water=1)

Molecular Formula: Not applicable.

Molecular Weight: No information found.

Section 10 - Stability and Reactivity

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

High temperatures, strong oxidants.

Incompatibilities with Other Materials

Alkalies, metals, active metals.

Hazardous Decomposition Products

Hydrogen chloride, hydrogen gas.

Hazardous Polymerization

Has not been reported.

Section 11 - Toxicological Information

RTECS:

CAS# 7732-18-5: ZC0110000.

CAS# 7429-90-5: BD0330000.

CAS# 7647-01-0: MW4025000.



Material Safety Data Sheet

Aluminum AA standard, 1ml = 1mg Al

LD50/LC50:

CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg.

CAS# 7429-90-5:

No information found. CAS# 7647-01-0:

Inhalation, mouse: LC50 = 1108 ppm/1H

Inhalation, rat: LC50 = 3124 ppm/1H

Oral, rabbit: LD50 = 900 mg/kg.

Carcinogenicity:

CAS# 7732-18-5: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

CAS# 7429-90-5: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

CAS# 7647-01-0

ACGIH: Not listed.

California: Not listed.

NIOSH: Not listed.

NTP: Not listed.

OSHA: Not listed.

IARC: Group 3

Epidemiology:

No information available.

Teratogenicity:

Embryo or Fetus: Stunted fetus, ihl-rat TCL0=450 mg/m³/1H Specific Developmental Abnormalities: homeostatis, ihl-rat TCL0=450 mg/m³/1H

Reproductive:

No information available.

Mutagenicity

Sln-dmg-ihl: 100 ppm/24H sln-dmg-ori: 100 ppm cyt-grh-par: 20 mg cyt-ham lung: 30 mmol/l cyt-ovr-ham: 8 mmol/l

Neurotoxicity

No information found.

Section 12 - Ecological Information

Ecotoxicity:

Trout LC100=10 mg/l/24H Shrimp LC50=100-330 ppm Starfish LC50=100-330 mg/l/48H Shore crab LC50=240 mg/l/48H Chronic plant toxicity=100 ppm Fish-toxicity LC50:862 mg/l

Environmental:

Substance will neutralize soil carbonate-based components.

Physical:

No information available.

Other:

None.



Material Safety Data Sheet
Aluminum AA standard, 1ml = 1mg Al

Section 13 - Disposal Considerations

Dispose of in accordance with Federal, State, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Hydrochloric acid, solution

Hazard Class: 8

UN Number: UN1789

Packing Group: PG II

Section 15 - Regulatory Information

US Federal

TSCA

CAS#7732-18-5 is listed on the TSCA Inventory.

CAS#7429-90-5 is listed on the TSCA Inventory.

CAS#7647-01-0 is listed on the TSCA Inventory.

SARA Reportable Quantities (RQ)

CAS#7647-01-0: final RQ = 5000 pounds (2270 kg)

CERCLA/SARA Section 313

Aluminum is not at a high enough concentration to be reportable under Section 313.

This material contains Hydrogen chloride (CAS#7647-01-0, 4%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

OSHA - Highly Hazardous

CAS#7647-01-0 is considered highly hazardous by OSHA.

US State

State Right to Know

Aluminum can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

Hydrogen chloride can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

California Regulations

European/International Regulations

Canadian DSL/NDSL

CAS# 7732-18-5 is listed on Canada's DSL List.

CAS# 7429-90-5 is listed on Canada's DSL List.

CAS# 7647-01-0 is listed on Canada's DSL List.

Canada Ingredient Disclosure List

CAS# 7732-18-5 is not listed on Canada's Ingredient Disclosure List.



Material Safety Data Sheet
Aluminum AA standard, 1ml = 1mg Al

CAS# 7429-90-5 is listed on Canada's Ingredient Disclosure List.

CAS# 7647-01-0 is listed on Canada's Ingredient Disclosure List.

Section 16 - Other Information

MSDS Creation Date: July 14, 1998

Revision Date: September 5, 2007

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc. assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application.