



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

Section 1 - Chemical Product and Company Identification

MSDS Name:

Dimethylglyoxime, 1% Alcoholic

Catalog Numbers:

LC13600

Synonyms:

None

Company Identification:

LabChem, Inc.
200 William Pitt Way
Pittsburgh, PA 15238

Company Phone Number:

(412) 826-5230

Emergency Phone Number:

(800) 424-9300

CHEMTREC Phone Number:

(800) 424-9300

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name:	Percent
64-17-5	Ethyl alcohol	90
67-56-1	Methyl alcohol	5
67-63-0	Isopropyl alcohol	5
95-45-4	Dimethylglyoxime	1

Section 3 - Hazards Identification

Emergency Overview

Appearance: Clear, colorless liquid

Danger! Flammable liquid. Flash Point: 57°F. May be fatal or cause blindness if swallowed. Causes severe eye irritation. May cause respiratory and digestive tract irritation. May cause skin irritation. May cause central nervous system depression. May cause liver and kidney damage. May cause reproductive and fetal effects.

Target Organs: Kidneys, central nervous system, liver..

Potential Health Effects

Eye:

Causes irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury. Vapors may cause eye irritation. May cause painful sensitization to light.

Skin:

May cause skin irritation. Prolonged and/or repeated contact may cause irritation and/or dermatitis. Exposure may cause irritation characterized by redness, dryness, and inflammation.



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

Ingestion:

May cause irritation of the digestive tract. Symptoms may include headache, excitement, fatigue, nausea, vomiting, stupor, coma and possible death due to respiratory failure. May cause systemic toxicity with acidosis. May cause liver and kidney damage. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea.

Inhalation:

May cause narcosis, CNS depression leading to respiratory/circulatory failure, pain, blindness, coma, kidney/liver damage, cyanosis, edema, death.

Chronic:

Chronic inhalation and ingestion may cause effects similar to those of acute inhalation and ingestion. Prolonged or repeated skin contact may cause defatting and dermatitis. Denatured ethanol is associated with respiratory irritation, central nervous system depression, visual impairment, dermatitis, conjunctivitis, sensory and motor impairment.

Section 4 - First Aid Measures

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids until chemical is gone. Get medical aid at once.

Skin:

Remove contaminated clothing to reduce further exposure. Rinse area with large amounts of water for at least 15 minutes. Get medical aid if irritation develops or persists. Methanol is readily absorbed through the skin.

Ingestion:

Give conscious victim 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid at once. Do not induce vomiting. If vomiting occurs naturally, keep head lower than hips to prevent aspiration into lungs. Medical personnel may remove the alcohol through gastric lavage with water or 3-5% sodium bicarbonate solution unless 2 hours or more have elapsed since ingestion.

Inhalation:

Get medical aid at once. Move victim to fresh air immediately. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Keep victim warm, at rest.

Notes to Physician:

Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information:

Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained Breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. Flammable liquid. Vapor-air mixtures are explosive at temperatures above the flashpoint. Use water spray to keep fire-exposed containers cool. Move container if possible; avoid breathing vapors or dust.

Extinguishing Media:

For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam.

Autoignition Temperature:

698°F (370°C)

Flash Point:

57°F (13.89°C)



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

NFPA Rating:

CAS# 64-17-5: health-0; flammability-3; reactivity-0

CAS# 67-56-1: health-1; flammability-3; reactivity-0

CAS# 67-63-0: health-1; flammability-3; reactivity-0

CAS# 95-45-4: Not published.

Explosion Limits:

Lower: 4.3 Upper: 19

Section 6 - Accidental Release Measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Wear a self contained breathing apparatus and appropriate Personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Absorb spill using an absorbent, non-combustible material such as earth, sand, diatomaceous earth, vermiculite, or other suitable absorbent. Label reclaimed spill material as flammable.

Section 7 - Handling and Storage

Handling:

Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Avoid contact with heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage:

Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Vapors heavier than air, may travel considerable distance and ignite or explode.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product. Ventilation equipment must be explosion-proof.

Exposure Limits:

Chemical Name:	ACGIH	NIOSH	OSHA
Ethyl alcohol	1000 ppm TWA	1000 ppm TWA; 1900 mg/m ³ TWA	1000 ppm TWA; 1900 mg/m ³ TWA
Methyl alcohol	200 ppm TWA; 250 ppm STEL; skin - potential for cutaneous absorption	200 ppm TWA; 260 mg/m ³ TWA	200 ppm TWA; 260 mg/m ³ TWA
Isopropyl alcohol	400 ppm TWA; 500 ppm STEL	400 ppm TWA; 500 ppm STEL	400 ppm TWA; 980 mg/m ³ TWA
Dimethylglyoxime	None of the components are on this list.	None of the components are on this list.	None of the components are on this list.



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

OSHA Vacated PELs:

Ethyl alcohol: 1000 ppm TWA; 1900 mg/m³ TWA
Methyl alcohol: 200 ppm TWA; 260 mg/m³ TWA
Isopropyl alcohol: 400 ppm TWA; 980 mg/m³ TWA

Personal Protective Equipment

Eyes:

Do not wear contact lenses when working with chemicals. An eye wash fountain should be available in the immediate work area. Wear splash-proof safety goggles.

Skin:

Wear appropriate protective gloves to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Respirators:

Not required for normal use. Firefighting-- any self-contained breathing apparatus with full facepiece operated in pressure-demand mode. High Levels- CCROV/SAR/SCBA. Firefighting- SCBAF:PP,PD. (Respirator Codes: (NIOSH) Publication No. 78-210).

Section 9 - Physical and Chemical Properties

Physical State: Clear liquid

Color: Colorless

Odor: Alcohol-like

pH: No information found.

Vapor Pressure: 40 mm Hg @20C

Vapor Density: 1.6

Evaporation Rate: No information found.

Viscosity: No information found.

Boiling Point: 172°F (78°C)

Freezing/Melting Point: -172°F (-113°C)

Decomposition Temperature: No information found.

Solubility in water: Soluble.

Specific Gravity/Density: 0.8

Molecular Formula: No information found.

Molecular Weight: No information found.

Section 10 - Stability and Reactivity

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials. Keep away from heat and flames.

Incompatibilities with Other Materials:

Acetyl bromide, acetyl chloride, nitric acid, aluminum sesquibromide ethylate, bromine pentafluoride, calcium hypochlorite, hydrogen peroxide/sulfuric acid mixes, iodine-mercuric oxide, perchlorate-dimethoxy propane, perchloric acid, sulfuric treated permanganates, ethanol recrystallized perchlorates, potassium superoxide, sodium hydrazide, sulfuric-dichromate mix., ammonium hydroxide-silver oxide mix., hydrogen peroxides, iodine-phosphorus, silver nitrate, silver/nitric acid mix forms explosive compounds, calcium carbide, magnesium, cyanuric chloride, chloroform-sodium hydroxide, chromic anhydride.



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

Hazardous Decomposition Products:

Oxides of nitrogen, oxides of carbon, formaldehyde.

Hazardous Polymerization:

Has not been reported.

Section 11 - Toxicological Information

RTECS:

CAS# 64-17-5: KQ6300000.

CAS# 67-56-1: PC1400000.

CAS# 67-63-0: NT8050000.

CAS# 95-45-4: EK2975000.

LD50/LC50:

CAS# 64-17-5:

Inhalation, rat: LC50 = 20000 ppm/10H

Oral, rat: LD50 = 7060 mg/kg.

CAS# 67-56-1:

Inhalation, rat: LC50 = 64000 ppm/4H

Oral, rat: LD50 = 5628 mg/kg

Skin, rabbit: LD50 = 15800 mg/kg.

CAS# 67-63-0:

Oral, rat: LD50 = 5045 mg/kg

Skin, rabbit: LD50 = 12800 mg/kg.

CAS# 95-45-4:

Not available

Carcinogenicity:

CAS# 64-17-5: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

CAS# 67-56-1: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

CAS# 67-63-0: IARC: Group 3 (not classifiable as to carcinogenicity)

CAS# 95-45-4: Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65.

Epidemiology:

Prenatal exposure to ethanol is associated with a distinct pattern of congenital malformations that have collectively been termed the "fetal alcohol syndrome". Among the characteristics of this syndrome are intrauterine and postnatal growth deficiency, a distinctive pattern of physical malformation, and behavioral/cognitive impairment such as fine motor dysfunction and mental retardation. Not all affected children have all of the features of the syndrome. Central Nervous System depressant. Alcohol component enhances effect.

Teratogenicity:

No information found.

Reproductive:

No information found.

Mutagenicity:

No information found.

Neurotoxicity:

No information found.



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

Section 12 - Ecological Information

No information found.

Section 13 - Disposal Considerations

Dispose of in accordance with Federal, State, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Ethanol solution

Hazard Class: 3

UN Number: UN1170

Packing Group: PG II

Section 15 - Regulatory Information

US Federal

TSCA:

CAS# 64-17-5 is listed on the TSCA Inventory.

CAS# 67-56-1 is listed on the TSCA Inventory.

CAS# 67-63-0 is listed on the TSCA Inventory.

CAS# 95-45-4 is listed on the TSCA Inventory.

SARA Reportable Quantities (RQ):

CAS# 67-56-1: final RQ = 5000 pounds (2270 kg)

CERCLA/SARA Section 313:

This material contains Methyl alcohol (CAS# 67-56-1, 5%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

This material contains Isopropyl alcohol (CAS# 67-63-0, 5%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

OSHA - Highly Hazardous:

None of the components are on this list.

US State

State Right to Know:

Ethyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

Methyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

Isopropyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

California Regulations:

WARNING: This product contains Ethyl alcohol, a chemical known to the state of California to cause developmental reproductive toxicity.



Material Safety Data Sheet Dimethylglyoxime, 1% Alcoholic

European/International Regulations

Canadian DSL/NDSL:

- CAS# 64-17-5 is listed on Canada's DSL List.
- CAS# 67-56-1 is listed on Canada's DSL List.
- CAS# 67-63-0 is listed on Canada's DSL List.
- CAS# 95-45-4 is listed on Canada's DSL List.

Canada Ingredient Disclosure List:

- CAS# 64-17-5 is listed on Canada's Ingredient Disclosure List.
- CAS# 67-56-1 is listed on Canada's Ingredient Disclosure List.
- CAS# 67-63-0 is listed on Canada's Ingredient Disclosure List.
- CAS# 95-45-4 is not listed on Canada's Ingredient Disclosure List.

Section 16 - Other Information

MSDS Creation Date: November 4, 1998

Revision Date: September 29, 2009

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc. assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application.